



RECEIVED

OCT 05 2002

TECH CENTER 1600/2900

Form PTO-1449		
ATTY DOCKET NO. 85-02	SERIAL NO. 10/049,137	FILING DATE June 3, 2002
APPLICANT Ogas and Somerville		GROUP 1653

U.S. PATENT DOCUMENTS

Exmr. Initial	Document Number	Date	Name	Class	Subclass	Filing Date if Appropriate

FOREIGN PATENT DOCUMENTS

Document Number	Date	Country	Class	Subclass	Translation Yes/No

OTHER PRIOR ART (including Author, Title, Date, Pertinent Pages, etc.)

		Alonso-Blanco, C. et al., "Development of an AFLP based linkage map of Ler, Col and Cvi Arabidopsis thaliana ecotypes and construction of a Ler/Cvi recombinant inbred line population," (Apr. 1998) <i>The Plant Journal</i> 14(2): 259-271
		Blázquez, M.A. et al., "LEAFY expression and flower initiation in Arabidopsis," (1997) <i>Development</i> 124: 3835-3844
		Blázquez, M.A. et al., "Gibberellins promote flowering of Arabidopsis by activating the LEAFY promoter," (May 1998) <i>The Plant Cell</i> 10: 791-800
		Bruggemann, E. et al., "Analysis of fast neutron-generated mutants at the Arabidopsis thaliana HY4 locus," (1996) <i>The Plant Journal</i> 10: 755-760
		Cowell, I.G. and Austin, C.A., "Self-association of chromo domain peptides," (1997) <i>Biochimica et Biophysica Acta</i> 1337: 198-206
		Delmas, V. et al., "A mammalian DNA-binding protein that contains a chromodomain and an SNF2/SWI2-like helicase domain," (March 1993) <i>Proc. Natl. Acad. Sci.</i> 90: 2414-2418
		Eisen, J.A. et al., "Evolution of the SNF2 family of proteins: subfamilies with distinct sequences and functions," (1995) <i>Nucleic Acids Research</i> 23(14): 2715-2723
		Finkelstein, R.R. and Zeevaart, J.A.D., "Gibberellin and abscisic acid biosynthesis and response," (1994) <i>Arabidopsis</i> E.M. Meyerowitz and C.R. Somerville, Cold Spring Harbor Laboratory Press: 523-553
↓		Goldberg, R.B. et al., "Plant embryogenesis: Zygote to seed," (Oct. 1994) <i>Science</i> 266: 605-614
		Grunstein, M., "Histone acetylation in chromatin structure and transcription," (Sept. 1997) <i>Nature</i> 389: 349-352

Examiner:

Date: 6/20/05



Sheet 2 of 4

Form PTO-1449			RECEIVED OCT 05 2002 TECH CENTER 1600/2900
ATTY DOCKET NO. 85-02	SERIAL NO. 10/049,137	FILING DATE June 3, 2002	
APPLICANT Ogas and Somerville		GROUP 1653	

AM		Hirschhorn, J.N. et al., "Evidence that SNF2/SWI2 and SNF5 activate transcription in yeast by altering chromatin structure," (1992) <i>Genes & Development</i> 6: 2288-2298
		✓ Hooley, R., "Gibberellins: perception, transduction and responses," (1994) <i>Plant Molecular Biology</i> 26: 1529-1555
		✓ Huttly, A.K. and Phillips, A.L., "Gibberellin-regulated plant genes," (1995) <i>Physiologia Plantarum</i> 95: 310-317
		✓ Jin, Y.H. et al., "Isolation and characterization of hrp1 ⁺ , a new member of the SNF2/SWI2 gene family from the fission yeast <i>Schizosaccharomyces pombe</i> ," (Feb. 1998) <i>Mol. Gen. Genet.</i> 257: 319-329
		✓ Kehle, J. et al., "dMi-2, a hunchback-interacting protein that functions in polycomb repression," (Dec. 1998) <i>Science</i> 282: 1897-1900
		✓ Khavari, P.A. et al., "BRG1 contains a conserved domain of the SWI2/SNF2 family necessary for normal mitotic growth and transcription," (Nov. 1993) <i>Nature</i> 366: 170-174
		Koonin, E.V. et al., "The chromo superfamily: new members, duplication of the chromo domain and possible role in delivering transcription regulators to chromatin," (1995) <i>Nucleic Acids Research</i> 23: 4229-4233
		✓ Koornneef, M. et al., "A gibberellin insensitive mutant of <i>Arabidopsis thaliana</i> ," (1985) <i>Physiol. Plant</i> 65: 33-39
		✓ Koornneef, M. et al., "The isolation of abscisic acid (ABA) deficient mutants by selection of induced revertants in non-germinating gibberellin sensitive lines of <i>Arabidopsis thaliana</i> (L.) Heynh," (1982) <i>Theor. Appl. Genet.</i> 61: 385-393
		✓ Kruger, W. et al., "Amino acid substitutions in the structured domains of histones H3 and H4 partially relieve the requirement of the yeast SWI/SNF complex for transcription," (1995) <i>Genes & Development</i> 9: 2770-2779
		✓ Kwon, H. et al., "Nucleosome disruption and enhancement of activator binding by a human SWI/SNF complex," (Aug. 1994) <i>Nature</i> 370: 477-481
		✓ Logie, C. and Peterson, C.L., "Catalytic activity of the yeast SWI/SNF complex on reconstituted nucleosome arrays," (1997) <i>The EMBO Journal</i> 16: 6772-6782
		✓ Lotan, T. et al., "Arabidopsis LEAFY COTYLEDON1 is sufficient to induce embryo development in vegetative cells," (June 1998) <i>Cell</i> 93: 1195-1205
		✓ McCarty, D.R., "Genetic control and integration of maturation and germination pathways in seed development," (1995) <i>Annu. Rev. Plant Physiol. Plant Mol. Biol.</i> 46: 71-93
		✓ Meinke, D.W., "A homeotic mutant of <i>Arabidopsis thaliana</i> with leafy cotyledons," (Dec. 1992) <i>Science</i> 258: 1647-1650
		✓ Meinke, D.W. et al., "Leafy cotyledon mutants of <i>arabidopsis</i> ," (Aug. 1994) <i>The Plant Cell</i> 6: 1049-1064
Y		✓ Ogas, J. et al., "Cellular differentiation regulated by gibberellin in the <i>Arabidopsis thaliana</i> pickle mutant," (July 1997) <i>Science</i> 277: 91-94
AM		✓ Ogas, J. et al., "PICKLE is a CHD3 chromatin-remodeling factor that regulates the transition from embryonic to vegetative development in <i>Arabidopsis</i> ," (Nov. 1999) <i>Proc. Natl. Acad. Sci.</i> 96: 13839-13844

Examiner:

Date: 6/20/05



Sheet 3 of 4

Form PTO-1449		
ATTY DOCKET NO. 85-02	SERIAL NO. 10/049,137	FILING DATE June 3, 2002
APPLICANT Ogas and Somerville		GROUP 1653

RECEIVED

OCT 0 3 2002

TECH CENTER 1600/2900

		Parcy, F. et al., "The ABSCISIC ACID-INSENSITIVE3, FUCA3, and LEAFY COTYLEDON1 loci act in concert to control multiple aspects of Arabidopsis seed development," (Aug. 1997) <i>The Plant Cell</i> 9: 1265-1277
		Peng, J. and Harberd, N.P., "Derivative alleles of the Arabidopsis Gibberellin-insensitive (gai) mutation confer a wild-type phenotype," (March 1993) <i>The Plant Cell</i> 5: 351-360
		Prelich, G. and Winston, F., "Mutations that suppress the deletion of an upstream activating sequence in yeast: Involvement of a protein kinase and histone H3 in repressing transcription in vivo," (Nov. 1993) <i>Genetics</i> 135: 665-676
		Ritchie, S. and Gilroy, S., "Tansley review no. 100 Gibberellins: regulating genes and germination," (Nov. 1998) <i>New Phytol.</i> 140: 363-383
		Roesler, K.R. et al., "Structure and expression of an Arabidopsis acetyl-coenzyme A carboxylase gene," (1994) <i>Plant Physiol.</i> 105: 611-617
		Stokes, D.G. et al., "CHD1 is concentrated in interbands and puffed regions of Drosophila polytene chromosomes," (July 1996) <i>Proc. Natl. Acad. Sci.</i> 93: 7137-7142
		Struhl, K., "Histone acetylation and transcriptional regulatory mechanisms," (Mar. 1998) <i>Genes and Development</i> 12: 599-606
		Swain, S.M. and Olszewski, N.E., "Genetic analysis of gibberellin signal transduction," (1996) <i>Plant Physiol.</i> 112: 11-17
		Talon, M., et al., "Accumulation of C ₁₉ -gibberellins in the gibberellin-insensitive dwarf mutant gai of Arabidopsis thaliana (L.) Heynh," (1990) <i>Planta</i> 182: 501-505
		Tong, J.K. et al., "Chromatin deacetylation by an ATP-dependent nucleosome remodeling complex," (Oct. 1998) <i>Nature</i> 395: 917-921
		Turner, B.M., "Histone acetylation and control of gene expression," (1991) <i>Journal of Cell Science</i> 99: 13-20
		Wang, M.L., et al., "Construction of an ≈2 Mb contig in the region around 80 cM of Arabidopsis thaliana chromosome 2," (1997) <i>The Plant Journal</i> 12(3): 711-730
		West, M.A.L. et al., "Embryogenesis in higher plants: An overview," (Oct. 1993) <i>The Plant Cell</i> 5: 1361-1369
		West, M.A.L. et al., "LEAFY COTYLEDON1 is an essential regulator of late embryogenesis and cotyledon identity in Arabidopsis," (Dec. 1994) <i>The Plant Cell</i> 6: 1731-1745
		Wilson, R.N. et al., "Gibberellin is required for flowering in Arabidopsis thaliana under short days," (1992) <i>Plant Physiol.</i> 100: 403-408
		Wilson, R.N. and Somerville, C.R., "Phenotypic suppression of the gibberellin-insensitive mutant (gai) of Arabidopsis," (1995) <i>Plant Physiol.</i> 108:495-502
		Woodage, T. et al., "Characterization of the CHD family of proteins," (Oct. 1997) <i>Proc. Natl. Acad. Sci.</i> 94: 11472-11477
↓		Zhang, Y. et al., "The dermatomyositis-specific autoantigen Mi2 is a component of a complex containing histone deacetylase and nucleosome remodeling activities," (Oct. 1998) <i>Cell</i> 95: 279-289
		GenBank Accession Number CAB40760 (Mar. 15, 2000) putative protein [Arabidopsis thaliana]

Examiner:

Date: 6/20/05







Sheet 4 of 4

RECEIVED

Form PTO-1449		
ATTY DOCKET NO. 85-02	SERIAL NO. 10/049,137	FILING DATE June 3, 2002 OCT 05 2002
APPLICANT Ogas and Somerville		GROUP 1653

TECH CENTER 1600/2900

		GenBank Accession Number AAF13875 (Nov. 30, 1999) chromatin remodeling factor CHD3 [Arabidopsis thaliana]
		GenBank Accession Number AL031369 (Aug. 27 1999) Arabidopsis thaliana DNA chromosome 2, BAC clone F13D4 (ESSAII project)
		GenBank Accession Number AC018722 (Apr. 5, 2000) Arabidopsis thaliana chromosome II section 141 of 255 of the complete sequence. Sequence from clones F13D4, T22F11
EXAMINER 	DATE CONSIDERED 6/20/05	
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.		

12/20/89